



UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/814,420	03/21/2001	Dietmar Wannke	1527	4066
7:	590 04/23/2004		EXAMI	NER
STRIKER, STRIKER & STENBY 103 East Neck Road		LAO, T	ТМ Р	
Huntington, N			ART UNIT	PAPER NUMBER
5 ,			2655	8
			DATE MAIL ED: 04/23/2004	1

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
055 A 11 0	09/814,420	WANNKE, DIETMAR
Office Action Summary	Examiner	Art Unit
	Tim Lao	2655
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed vs will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 21 M	<u>arch 2001</u> .	
2a) This action is FINAL . 2b) ⊠ This	action is non-final.	
3) Since this application is in condition for allowar closed in accordance with the practice under E	· ·	
Disposition of Claims		
4) Claim(s) 1-16 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-16 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examine		
10)⊠ The drawing(s) filed on is/are: a)□ acce		
Applicant may not request that any objection to the		• •
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex		
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of the prior application for a list of the certified copies of the prior application from the International Bureau 	s have been received. s have been received in Applicati ity documents have been receive I (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)		
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	atent Application (PTO-152)



DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CRF § 1.84(o) because there are no descriptive legends for the schematic blocks of Fig.1 and Fig.2. A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

	laims 1-5 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Hiyokawa et al. ent 5,825,306) (hereinafter, "Hiyokawa").
Claim(s)	Hiyokawa discloses:
	A method for speech control of an electrical device (navigation system: col.1, II.58-63; see Abstract), comprising the steps of:
	acoustically inputting information by spelling in an electrical device; (Abstract, 1 st ¶; col.2, II.14-21; col.3, II.13-18, II.29-32; col.5, II.31-35) and

Application/Control Number: 09/814,420

Art Unit: 2655

outputting by the electrical device a recognized character or a recognized symbol or a
recognized character- or symbol sequence for acknowledgment of the character- or symbol
input. (Abstract, 1 st ¶; col.3, II. 22-28; Fig.3, col.5, II.4-19)
Hiyokawa discloses:
A method as defined in claim 1; and further comprising the output of the known
character or symbol before a next input. (Abstract 1 st ¶; Fig.3, col.5, II.4-19; Fig.4, col.5, II.47-
67; col.6, II.1-17)
{In Fig.3, for example, 'A' is the first character inputted, then the target names beginning with
the recognized character 'A' is displayed. 'B' is inputted next and is displayed along with the
target names beginning with 'AB', and so forth.}
Hiyokawa discloses:
A method as defined in claim 1; and further comprising the output of the known
character or symbol acoustically. (col.3, II.22-28; col.4, II.44-47)
Hiyokawa discloses:
A method as defined in claim 1; and further comprising the output of the known
character or symbol optically. (see Abstract, 1 st ¶; col.3, Il.22-28; see Fig.3)
Hiyokawa discloses:
A method as defined in claim 1; and further comprising the output of the known
character or symbol acoustically and optically. (see Abstract, 1 st ¶; col.3, II.22-28; col.4, II.44-
47; see Fig.3)
Hiyokawa discloses:
A method as defined in claim 1; and further comprising using a navigation system of a



Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 6-12 and 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hiyokawa et al. (U.S. Patent 5,825,306) in view of Rossides (U.S. Patent 5,454,063).

Claim(s)

Hiyokawa does not show:

6

A method as defined in claim 1; and further comprising providing a correction of a not correctly recognized character or symbol or a not correctly recognized character- or symbol sequence of previously inputted characters or previously inputted symbols or previously inputted character- or symbol sequence correspondingly.

However, Rossides teaches:

A method for providing a correction of a not correctly recognized character or symbol or a not correctly recognized character- or symbol sequence of previously inputted characters or previously inputted symbols or previously inputted character- or symbol sequence correspondingly. (col.12, II.57-67; col.13, II.1-11; col.6, II.9-14)

{The method taught by Rossides is a method for searching names in database using a speaker's letters and words as inputs. (see Abstract; col.1, II.64-67; col.2, II.1-6, II.34-39; col.4, II.32-38)}

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the character inputting method of Hiyokawa to include the letter correction method of Rossides in order to correct the incorrectly recognized letters in the spelling of the input words. As indicated by Rossides, speech recognizers have difficulty recognizing letters (col.1, Il.25-35), providing the correction (erasure) function would ensure that the words are correctly recognized before those words are entered.



OL-! (-)				
Claim(s)	The combination of Hiyokawa and Rossides would show:			
7	A method as defined in claim 6, wherein said correcting includes again acoustically			
	inputting of the previously inputted character or the previously inputted symbol of the			
	previously inputted character- or symbol sequence. (Rossides: col.13, Il.26-37; col.14, Il.1-10) [The erasure function and the re-spelling capability allow the speaker to again input]			
	previously inputted characters or letters.}			
	provided influence of letters.			
Claim(s)	Hiyokawa does not show:			
8				
	A method as defined in claim 1; and further comprising outputting a stored			
	information as an input proposal.			
	However, Rossides teaches:			
	outputting a stored information as an input proposal (suggestion). (col.21, II.55-67;			
	col.22, II.1-48)			
	It would have been obvious to a person of ordinary skill in the art at the time the			
	invention was made to modify the character inputting method of Hiyokawa to include the			
	method of suggested inputs of Rossides in order to suggest inputs for the speakers in case of			
	incorrect spelling of words. This would provide a more user-friendly interactive system.			
Claim(s)	Hiyokawa does not show:			
9	A method as defined in claim 8; and further comprising performing said outputting of			
	the stored information during a determination of a coincidence of a sequence of individual			
	inputted characters or symbols with the stored information.			
	However, Rossides teaches:			
	performing said outputting of the stored information during a determination of a			
	coincidence (probability value) of a sequence of individual inputted characters or symbols			
	with the stored information. (col.25, II.49-67; col.26, II.1-32)			

Application/Control Number: 09/814,420

Art Unit: 2655

{Coincidence is interpreted as probability value of a character being recognized is the correct character is the correct character during the look-up of stored information. (col.26, Il.10-15)} It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the character inputting method of Hiyokawa to include the coincidence determination of Rossides in order to give a confidence measure of the inputted character is the correctly recognized character. Using the confidence value as a measured target would lead to a recognized character as a most likely correct character. Claim(s) The combination of Hiyokawa and Rossides shows: 10 A method as defined in claim 8; and further comprising performing said outputting of the stored information (suggestion) at a beginning of a stored information. (Rossides: col.21, II.55-67; col.22, II.1-48) (Using the letter and word erasure function, the suggestion are outputted at the beginning.) Claim(s) Hiyokawa does not show: 11 A method as defined in claim 8; and further comprising receiving the input proposal by a speech input of a confirmation command. However, Rossides teaches: receiving the input proposal by a speech input of a confirmation command. (col.19, II.59-67; col.20, II.1-2) It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the character inputting method of Hiyokawa to include the confirmation command of Rossides in order to confirm the characters inputted. Using the confirmation command would ensure that the inputted characters are correct sequence of characters before entered as input. Claim(s) Hiyokawa does not show: 12 A method as defined in claim 8; and further comprising rejecting of the input proposal



by a speech input of a further character or symbol or a further character-space or symbol sequence.

However, Rossides teaches:

A method as defined in claim 8; and further comprising rejecting of the input proposal (suggestion) by a speech input of a further character or symbol or a further character-space or symbol sequence. (col.19, II.59-67; col.20, II.1-2)

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the character inputting method of Hiyokawa to include the rejection command of Rossides in order to reject the suggestion by a further speech input. The suggestion may not necessarily be what the speaker wants. In this case, it would be easier for the speaker to re-enter the inputted characters.

Claim(s)

Hiyokawa shows:

14

A method as defined in claim 13; and further comprising using for the information to be inputted an information selected from the group consisting of a target command (target names, e.g., destinations) and a route input (alphabetical characters and numerics). (col.2, II.14-33)

Hiyokawa does not show:

the information to be inputted is selected from a control command.

However, Rossides teaches:

the information to be inputted is selected from a control command (e.g., letter identifier, word done). (col.5, II.7-11, II.46-48; col.9, II.39-51; col.10, II.52-58; col.12, II.39-50)

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the group of target command and route input of Hiyokawa to include the control command of Rossides in order to control the information to be inputted. This would provide a more user-friendly interactive system.

Page 8

Application/Control Number: 09/814,420

Art Unit: 2655

Claim(s)	The combination of Hiyokawa and Rossides shows:
15	A method as defined in claim 12; and further comprising:
	inputting target- and route input in individual characters (Hiyokawa: col.2, II.14-33)
	control commands (e.g., letter identifier, word done) as symbol sequences with at
	least two symbols. (Rossides: col.5, II.7-11, II.46-48; col.9, II.39-51; col.10, II.52-58; col.12, II.39-50)
Claim(s)	The combination of Hiyokawa and Rossides shows:
	A method as defined in claim 14; and further comprising using the inputted symbols ('w', 'o', 'r', 'd') during the symbol input of control commands (e.g., word done) as initial characters of a word. (Rossides: col.5, II.7-11, II.46-48; col.9, II.39-51; col.10, II.52-58; col.12, II.39-50)

Conclusion

- 6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- U.S. Patent Documents:

[1] 6,526,292 B1 02/2003 Henry, Jr.

[2] 5,917,889 06/1999 Brotman et al.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tim Lao whose telephone number is 703-305-8955.

The examiner can normally be reached on M-F, 8:30am-5pm.

Page 9

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on 703-305-4827. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tim Lao Examiner Art Unit 2655

TL 04/17/04

> DORIS H. TO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800